

(12) **United States Design Patent**
Corral

(10) **Patent No.:** **US D618,013 S**
(45) **Date of Patent:** **** Jun. 22, 2010**

(54) **BRIDLE RACKS AND BLINKER HOLDERS
USED TO HOLD HORSE EQUIPMENT**

(76) Inventor: **James Robert Corral**, 11702 Rancho Verde Dr., Whittier, CA (US) 90601

(**) Term: **14 Years**

(21) Appl. No.: **29/341,710**

(22) Filed: **Aug. 11, 2009**

(51) **LOC (9) Cl.** **06-04**

(52) **U.S. Cl.** **D6/450; D30/143**

(58) **Field of Classification Search** D6/396,
D6/449, 450, 466, 467, 457, 316, 320, 323;
D30/136, 143, 135; 211/85.1, 106, 13.1,
211/85.11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D25,613 S *	6/1896	Donahy	D30/143
D45,272 S	2/1914	Sebring		
D134,955 S	2/1943	Greenberg		
D152,112 S	12/1948	McGowen		
D172,111 S	5/1954	Schwarz		
D174,952 S *	6/1955	Gould	D6/316
D178,971 S	10/1956	Pasquarella		
D187,580 S	4/1960	Holden		
D217,468 S	5/1970	Haurilak		
D217,724 S *	6/1970	Pearce	D30/143
D224,866 S *	10/1972	Hammer	D6/316
D229,377 S	11/1973	Johnson		
D230,037 S *	1/1974	Hawn	D30/143
D232,178 S	7/1974	McDaniel		
D240,365 S	6/1976	Bennett		
D257,199 S	10/1980	Hoke		
4,421,238 A *	12/1983	Patton	211/85.11
D276,391 S *	11/1984	Ringler	D6/320
D337,071 S	7/1993	Hogue		

D359,012 S	6/1995	Gross
D378,799 S	4/1997	Erickson
D393,603 S	4/1998	Cerisano
D402,699 S	12/1998	Calhoon
D474,106 S	5/2003	Week
D494,500 S	8/2004	Brown
D557,629 S	12/2007	Maes
D565,999 S	4/2008	Bartlett

OTHER PUBLICATIONS

Brass Horseshoe hook, www.smartpakequine.com, item #11619.*

* cited by examiner

Primary Examiner—Philip S Hyder

Assistant Examiner—Sydney R Buffalow

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a bridle rack and blinker holder used to hold horse equipment, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bridle rack and blinker holder used to hold horse equipment, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;



FIG. 6 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 7 is a front elevational view of a second embodiment thereof;

FIG. 8 is a top plan view of FIG. 7 thereof; and,

FIG. 9 is a bottom plan view of FIG. 7.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9